

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Atty: William Solomon on September 02, 2008.

The application has been amended as follows:

In claim 1, delete line 2 and insert -- resin composition layer and metal foil, wherein said metal foil is fixed to one or both surfaces of --.

In claim 16, delete line 2 and insert -- resin composition layer and metal foil, wherein said metal foil is fixed to one or both surfaces of --.

In claims 15 and 30, in line 2, delete "in said post-cure insulating resin composition," and insert -- said insulating resin composition after being cured has --.

In claims 34 and 44, in line 3, delete "the" and insert -- a --.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cathy Lam whose telephone number is (571) 272-1538. The examiner can normally be reached on 9am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on (571) 272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1794

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Cathy Lam/
Primary Examiner, Art Unit 1794